



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/308,269	07/08/1999	Wolfgang Muller	R.32491	5937

7590 01/22/2004

Ronald E Greigg  
GREIGG & GREIGG  
1423 POWHATAN STREET  
UNIT ONE  
ALEXANDRIA,, VA 22314

EXAMINER

PATEL, HARSHAD R

ART UNIT	PAPER NUMBER
----------	--------------

2855

DATE MAILED: 01/22/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

# Office Action Summary

Application No.

09/308,269

Applicant(s)

MULLER ET AL.

Examiner

Harshad Patel

Art Unit

2855

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

## Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☒ Responsive to communication(s) filed on 23 July 2003.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 10-19 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 10-19 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

## Priority under 35 U.S.C. §§ 119 and 120

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  
a) ☐ All b) ☐ Some \* c) ☐ None of:  
1. ☐ Certified copies of the priority documents have been received.  
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.  
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).  
\* See the attached detailed Office action for a list of the certified copies not received.
- 13) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.  
a) ☐ The translation of the foreign language provisional application has been received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.

## Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) \_\_\_\_\_
- 4) ☐ Interview Summary (PTO-413) Paper No(s). \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other:

***Response to Arguments***

1. Applicant's arguments filed 7/23/03 have been fully considered but they are not persuasive. The arguments that the claims of US Patent 6,422,070 are different than the claims of the instant application are acknowledged. However, it is noted that the claims of the instant invention change some of the words and replace with the new language that would either remove or add some of the inherent structure of the device, which are part of the invention. Applicant argues that the instant invention does not claim the inlet and outlet structure of the measurement conduit but instead claims the structure of the measuring conduit having different surfaces that are inclined than the inclined surfaces of the '070 patent. Examiner acknowledges, however, the claims of the '070 patent claim the measuring duct having the inlet mouth having a rectangular cross-section which narrows in an axial direction in the direction of the flow. Such an arrangement would simply define the structure as claimed in which the measuring conduit have two faces that approach each other in the direction of the flow and have additional faces disposed lateral to the surface of the measurement element but does not say anything regarding the inclination with respect to the other surfaces. Referring to the figures 1 and 2 of the '070 patent, the two faces (37, 38) seem to be parallel and the faces (39, 40) narrows in the direction of the flow. In the instant application, the faces (37, 38) narrows in the direction of the flow and faces (39 and 40) seem to be parallel. Now simply altering the position of the faces does not make it patentably distinct over the patent '070. Moreover, the narrowing structure having an inlet and an outlet orifice is an inherent part of the patent and also the instant application thus removing such inherent language from the claim does not distinguish either.

Art Unit: 2855

As to the arguments that the patent '070 refers to the entry plane extending through the outlet orifice of the deflecting duct is not part of the instant invention is acknowledged but viewing the figure 2 of the instant application, right portion of the edge (32) is nothing more than the portion of the outlet orifice. It is true that the plane does not extend through the outlet orifice as shown in Fig. 1, but it still extends through the outlet opening at the edge of the curved portion.

It is further noted that the numeral (27) inserted with the measurement element in claim 1 is not correct. Measurement element is referred by numeral (21). Applicant is advised to thoroughly check for such typographical errors related to reference numeral with the next response.

### ***Double Patenting***

2. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

The language regarding the double patenting rejection not found in this office action can be reviewed from the prior office action.


3. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after

Art Unit: 2855

the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Harshad Patel whose telephone number is (571) 272-2187. The examiner can normally be reached on Monday-Thursday (7:00 AM-5:30 PM).



*Harshad Patel*  
*Primary Examiner*  
*Art Unit 2855*

hp  
January 21, 2004